

U-JOINTS

CHEVROLET ASTRO U-JOINT

INNHOLD

CHEVROLET

- ASTRO..... side 160
- AVALANCHE..... side 161
- PICKUP..... side 162
- S/T 10..... side 164
- SUBURBAN..... side 167
- TAHOE..... side 168
- VAN..... side 169

DODGE

- PICKUP..... side 171

FORD

- EXCURSION..... side 173
- PICKUP..... side 174
- VAN..... side 177

JEEP

- CHEROKEE & GRAND CHEROKEE..... side 179

- VEDLEGG..... side 181

CHEVROLET ASTRO: U-JOINT




DIAGRAM A




DIAGRAM B

2WD TRUCKS & VANS

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grasable Super Strength U-Joint
CHEVROLET ASTRO VAN					
85-03	All Models	A	①	5346	235
	Clamp Kit 331-10 fits U-Joint 331	A	②	331	232

CHEVROLET AVALANCHE: U-JOINT




DIAGRAM G




DIAGRAM V

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grisable Super Strength U-Joint
CHEVROLET 3/4 TON SUBURBAN & AVALANCHE (20 & 2500 Series)					
See next listing for front axle CV boots.					
00-03	All Models				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — With 6.0 V-8	G	③ ⑤	331⑥	232
	— With 8.1 V-8	G	③ ⑤	330⑥	295
	Clamp Kit 492-10 fits U-Joints 330 & 331				
	Clamp Kit 530-10 fits U-Joint 534G				
97-99	All Models				
	Front Shaft	G	① ②	534G	235
	Rear Shaft	G	③ ⑤	331	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joint 534G				
92-96	All Models				
	Front Shaft — Exc. '94-'96 with Turbo Diesel	G	① ②	534G	235
	— '94-'96 with Turbo Diesel	G	①	354	270
		G	②	355	290
	Rear Shaft	G	③ ⑤	331	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joints 355 & 534G				
88-91	All Models				
	Front Shaft (Ball Seat Kit 606, Flange Yoke 626)	V	① ②	534G	235
	Weld Yoke 636, H. Yoke 646)	V	③	369	280
	Rear Shaft	V	④ ⑥	331	232
	Wheel Joints	V	⑦ ⑧	371	377
	Clamp Kit 360-10 fits U-Joint 369				
	Clamp Kit 492-10 fits U-Joint 331				
- Earlier Suburbans use Pick Up Truck Listings -					

CHEVROLET PICKUP: U-JOINT




DIAGRAM G

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grasable Super Strength U-Joint
CHEVROLET 3/4 TON PICK UP (20 & 2500 Series)					
Includes SILVERADO					
See following listing for front axle CV boots.					
01-03	All Models				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — With 4 Spd. Auto. Trans. (Exc. 2500HD)	G	③ ⑤	331 ^⑤	232
	— 2500HD with 4 Spd. Auto. Trans.	G	③	331	232
	— With 5 Spd. Auto. or Man. Trans. and 2 Joint Shaft.	G	⑤	330	295
	— With 5 Spd. Auto. or Man. Trans. and 3 Joint Shaft.	G	③ ⑤	330 ^⑤	295
	— With 6 Spd. Man. Trans.	G	③ ④ ⑤	330 ^⑤	295
	— With 6 Spd. Man. Trans.	G	③ ⑤	351	
	Clamp Kit 492-10 fits U-Joints 330 & 331				
	Clamp Kit 530-10 fits U-Joint 534G				
99-00	All Models (Except Silverado)				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — Regular Cab	G	③ ⑤	331	232
	— Extended Cab	G	③ ④ ⑤	331 ^⑤	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joint 534G				
99-00	Silverado				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — Auto. Trans. (Exc. Extended Cab with Long Bed)	G	③ ⑤	331	232
	— Auto. Trans. (Extended Cab with Long Bed)	G	③ ④ ⑤	331 ^⑤	232
	— Man Trans.	G	③ ⑤	330 ^⑤	295
	Clamp Kit 492-10 fits U-Joints 330 & 331				
	Clamp Kit 530-10 fits U-Joint 534G				
97-98	All Models				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — Regular Cab	G	③ ⑤	331	232
	— Extended Cab	G	③ ④ ⑤	331 ^⑤	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joint 534G				
94-96	All Models				
	Front Shaft — Exc. Turbo Diesel	G	① ②	534G	235
	— Turbo Diesel	G	①	354	270
	— Turbo Diesel	G	②	355	290
	Rear Shaft — Regular Cab	G	③ ⑤	331	232
	— Extended Cab	G	③ ④ ⑤	331 ^⑤	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joints 355 & 534G				

⑤ For optional anti-galvanic u-joint add "C" to part number.
For more information see page 539.

CHEVROLET PICKUP FORTSETTER...




DIAGRAM G

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grsable Super Strength U-Joint
CHEVROLET 3/4 TON PICK UP (Cont'd)					
See next listing for front axle CV boots.					
92-93	All Models				
	Front Shaft	G	① ②	534G	235
	Rear Shaft — Regular Cab with Alum. Driveshaft Yokes	G	③ ⑤	331 ^⑤	232
	— Regular Cab with Steel Driveshaft Yokes	G	③ ⑤	331	232
	— Extended Cab	G	③ ④ ⑤	331 ^⑤	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joint 534G				
88-91	All Models				
	Front Shaft — With Auto. Trans.	G	① ②	534G	235
	— With Man. Trans.	G	①	354	270
		G	②	355	290
	Rear Shaft — Regular Cab with Alum. Driveshaft Yokes	G	③ ⑤	331 ^⑤	232
	— Regular Cab with Steel Driveshaft Yokes	G	③ ⑤	331	232
	— Extended Cab	G	③ ④ ⑤	331 ^⑤	232
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joints 355 & 534G				




DIAGRAM V

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grsable Super Strength U-Joint
CHEVROLET 3/4 TON PICK UP (Cont'd)					
82-87	All Models				
	Front Shaft (Ball Seat Kit 606, Flange Yoke 626,	V	① ②	534G	235
	Weld Yoke 636, H Yoke 646)	V	③	369	280
	Rear Shaft	V	④ ⑥	331	232
	Wheel Joints	V	⑦ ⑧	371	377
	Clamp Kit 360-10 fits U-Joint 369				
	Clamp Kit 492-10 fits U-Joint 331				



CHEVROLET S/T 10: U-JOINT




DIAGRAM A




DIAGRAM B

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grsable Super Strength U-Joint
CHEVROLET COMPACT S10 BLAZER & PICK UP					
97-03	All Models				
	Blazer	A	① ②	534G	235
	Regular Cab Pick Up	A	① ②	534G	235
	Extended Cab Pick Up	B	① ② ③	534G	235
	Clamp Kit 530-10 fits U-Joint 534G				
	Note: Some '97-'98 extended cab models may use a rear shaft with a double cardan "CV" at both the center bearing and rear axle. They use 534G U-Joints and 606 Ball Seat Repair Kits.				
94-96	All Models				
	Blazer	A	① ②	534G	235
	Regular Cab Pick Up — Short Bed	A	① ②	534G	235
	— Long Bed	A	①	354 [Ⓞ]	270
		A	②	355 [Ⓞ]	290
	Extended Cab Pick Up	B	① ② ③	534G	235
	Clamp Kit 530-10 fits U-Joints 355 & 534G				
	Note: Some '96 extended cab models may use a rear shaft with a double cardan "CV" at both the center bearing and rear axle. They use 534G U-Joints and 606 Ball Seat Repair Kits.				
82-93	All Models				
	Blazer	A	① ②	534G	235
	Regular Cab Pick Up — Short Bed	A	① ②	534G	235
	— Long Bed	B	① ② ③	534G	235
	Maxicab/Extended Cab Pick Up	B	① ② ③	534G	235
	Chassis Cab	B	① ② ③	534G	235
	Clamp Kit 530-10 fits U-Joint 534G				

2WD TRUCKS & VANS

Ⓞ For optional anti-galvanic u-joint add "C" to part number. For more information see page 539.

CHEVROLET S/T 10 FORTSETTER...





DIAGRAM G

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grsable Super Strength U-Joint
CHEVROLET COMPACT S10 BLAZER & PICK UP					
See following listing for front axle CV boots.					
95-03	Blazer				
	Front Shaft — At Transfer Case.....	G	①	NR	
	— At Front Axle.....	G	②	445	225
	Rear Shaft — Exc. 2 Door with ZR2 "High Wider" Sport Pkg.....	G	③ ⑤	534G	235
	— 2 Door with ZR2 "High Wider" Sport Pkg.....	G	③ ⑤	331	232
	Clamp Kit 360-10 fits U-Joint 445				
	Clamp Kit 492-10 fits U-Joint 331				
	Clamp Kit 530-10 fits U-Joint 534G				
97-03	Pick Up				
	Front Shaft — At Transfer Case.....	G	①	NR	
	— At Front Axle.....	G	②	445	225
	Rear Shaft.....	G	③ ⑤	534G	235
	Clamp Kit 360-10 fits U-Joint 445				
	Clamp Kit 530-10 fits U-Joint 534G				
95-96	Pick Up				
	Front Shaft — At Transfer Case.....	G	①	NR	
	— At Front Axle.....	G	②	445	225
	Rear Shaft — Exc. ZR2 "High Wider" Sport Pkg.....	G	③ ⑤	534G	235
	— With ZR2 "High Wider" Sport Pkg.....	G	③	354③	270
	Clamp Kit 360-10 fits U-Joint 445	G	⑤	355③	290
	Clamp Kit 530-10 fits U-Joints 355 & 534G				
94	Blazer				
	Front Shaft — With Press-on Slip Yoke Seal.....	G	①	369	280
		G	②	455	
	— With Screw-on Slip Yoke Seal Cap.....	G	① ②	445	225
	Rear Shaft.....	G	③ ⑤	534G	235
	Note: The 445 fits 2 ¹¹ / ₃₂ " yokes②; the 455 fits 2 ³ / ₁₆ " yokes②.				
	Clamp Kit 360-10 fits U-Joints 369, 445 & 455				
	Clamp Kit 530-10 fits U-Joint 534G				
94	Pick Up				
	Front Shaft — At Transfer Case.....	G	①	NR	
	— At Front Axle.....	G	②	445	225
	Rear Shaft — Regular Cab.....	G	③ ⑤	534G	235
	— Extended Cab.....	G	③ ④ ⑤	534G	235
	Clamp Kit 360-10 fits U-Joint 445				
	Clamp Kit 530-10 fits U-Joint 534G				

4WD TRUCKS & VANS



② For optional anti-galvanic u-joint add "C" to part number. For more information see page 539.

CHEVROLET S/T 10 FORTSETTER...




DIAGRAM G

YEAR	MAKE AND MODEL	Diagram	Location	Standard U-Joint	Grsable Super Strength U-Joint
CHEVROLET COMPACT S10 BLAZER & PICK UP (Cont'd)					
See next listing for front axle CV boots.					
88-93	All Models				
	Front Shaft — With Press-on Slip Yoke Seal.....	G	①	369	280
		G	②	455	
	— With Screw-on Slip Yoke Seal Cap.....	G	① ②	445	225
	Rear Shaft — Jimmy.....	G	③ ⑤	534G	235
	— Regular Cab Pick Up.....	G	③ ⑤	534G	235
	— Maxicab/Extended Cab Pick Up.....	G	③ ④ ⑤	534G	235
Note: The 445 fits 2 ¹¹ / ₃₂ " yokes [Ⓞ] ; the 455 fits 2 ³ / ₁₆ " yokes [Ⓞ] .					
Clamp Kit 360-10 fits U-Joints 369, 445 & 455					
Clamp Kit 530-10 fits U-Joint 534G					
83-87	All Models				
	Front Shaft.....	G	① ②	445	225
	Rear Shaft — Blazer.....	G	③ ⑤	534G	235
	— Regular Cab Pick Up.....	G	③ ⑤	534G	235
	— Maxicab Cab Pick Up.....	G	③ ④ ⑤	534G	235
Clamp Kit 360-10 fits U-Joint 445					
Clamp Kit 530-10 fits U-Joint 534G					